

Manual Supplement

Manual Title:	45 Service	Supplement Issue:	1
Part Number:	609203	Issue Date:	3/05
Print Date:	March 1999	Page Count:	3
Revision/Date:	Rev.1, 1/04		

This supplement contains information necessary to ensure the accuracy of the above manual. Enter the corrections in the manual if either one of the following conditions exist:

1. The revision letter stamped on the indicated PCA is equal to or higher than that given with each change.
2. No revision letter is indicated at the beginning of the change.

Change #1

On page 6-13, replace Table 6-5, with the following:

Reference Designator		Description	Fluke Stock No.	Total Qty	Note
C	2	CAPACITOR SMR,CAP,TA,4.7UF,+/-10%,20V,3528	605433	1	
C	3-10	CAPACITOR SMR,CAP,CER,0.1 UF, +/-10%,25V,X7R,1206	747287	8	
D	1	DIODE,SI,BAS16,75V,200MA,6NS,SOT-23,TAPE	830489	1	
DS	1	TUBE,DISPLAY,VAC FLOUR, 7&8-SEG,10CHAR	783530	1	
J	1	HEADER,HEADER,1 ROW,.050CTR, 20 PIN	831529	1	
MP	1	FLUKE 45-3021,PWB,DISPLAY	1560732	1	
Q	3	TRANSISTOR,SI,PNP,MMBT3906,40V,200MA,250MHZ,225MW,SOT-23,TAPE	742684	1	
R	2,5	RESISTOR SMR,RES,CERM,2.2M,+/-5%,.125W,200PPM,1206	811778	2	
R	3	RESISTOR SMR,RES,CERM,1.2M,+/-5%,.125W,200PPM,1206	806240	1	
R	6	RESISTOR SMR,RES,CERM,0,+0.05 MAX,.125W,1206	810747	1	
R	10, R 15-40	RESISTOR SMR,RES,CERM,64.9K,+/-1%,.125W,100PPM,1206	876086	27	
R	11-12	RESISTOR SMR,RES,CERM, 10K,+/-5%,.125W,200PPM,1206	746610	2	
U	1	IC,MICROCONTROLLER,78F0233,8 BIT,5V,5MHZ,INTGD VFD CONTROL,PROGRAMMED,QFP80,TRAYPurchased Item	2158757	1	
U	2	CMOS 74HC423 SMR,IC,CMOS,DUAL MONOSTB MULTIVBRTR,SOIC	806620	1	
U	4	CMOS 74HC132 SMR,IC,CMOS,QUAD, 2 IN NAND W/SCHMT,SOIC	837245	1	
Y	1	CERAMIC RESONATOR,4.19MHZ,0.5/0.3%,BUILT IN LOAD CAPS,2812,TAPE	688317	1	
Y	2	AUDIO TRANSDUCER,PIEZO,SOUNDER,4KHZ,25V,22MM RND,BULK	602490	1	
Z	1	RESISTOR SMR,RES,CERM,SOIC, 16 PIN, 15 RES,10K, +/-2%	836296	1	

Replace pages 6-14 and 9-8, with the following:




Figure 9-2. A-2 Display PCA

Replace page 9-9 with the following:

